



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			







NOTE:
REF. BELL T/N: T103280-101.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	2	TUBE	6061	Ø2-1/4 O.D. X 1-1/4 I.D. X 6-3/8	2
			-3	4	BRACKET	ALUMINUM	.025 X 1/2 X 1-1/2	3
		B/O	-5	2	OUTER RUBBER	BUNA-N RUBBER ADHESIVE BACKED	1/32 X 1/2 X 3-1/2 MCMaster-CARR #8969K63 70A	1
		B/O	-7	2	INNER RUBBER	BUNA-N RUBBER ADHESIVE BACKED	1/32 X 2-1/2 X 5 MCMaster-CARR #8969K63 70A	1
		B/O	-9	2	VELCRO LOOP	VELCRO LOOP ADHESIVE BACKED	1/2 X 1-7/8 MCMaster-CARR #9489K147	1
		B/O	-11	2	VELCRO HOOK	VELCRO HOOK	5/8 X 5 MCMaster-CARR #9489K304	1
		B/O	-13	8	RIVET	ALUMINUM	Ø 1/8 X 1/4 MCMaster-CARR #96685A170	1

RED BARN MACHINE	
TITLE RETAINER ASSEMBLY, ENGINE TO TRANSMISSION DRIVESHAFT ASSEMBLY	
DWG NO. RB T103280-101	REV
MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED <i>D Weil</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH SPEC
SCALE 1:3	DATE 10/2/2013
USED ON MODEL 222, 222B, 222U, 230, & 430	
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION		DATE	INITIAL
				APPROVED






(-1)

TUBE

RED BARN MACHINE	
TITLE RETAINER ASSEMBLY, ENGINE TO TRANSMISSION DRIVESHAFT ASSEMBLY	
DWG NO. RB T103280-101-1	REV
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED <i>D Weil</i>
FRACTIONS ± 1/32 ANGLES ± 5°	HEAT TREAT FINISH RED ANODIZE
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC QQ-P-416F, TYPE II, CLASS II USED ON MODEL 222, 222B, 222U, 230, & 430
SCALE 1:2	DATE 10/3/2013
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-3)
BRACKET

RED BARN MACHINE	
TITLE RETAINER ASSEMBLY, ENGINE TO TRANSMISSION DRIVESHAFT ASSEMBLY	
DWG NO. RB T103280-101-3	REV
MAT'L ALUMINUM	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	222, 222B, 222U, 230, & 430
SCALE 2:1	DATE 10/3/2013
SHEET 3 OF 3	